

BEATER WAGON

12 - 27M³



**BUILT
TOUGH**

**TRUSTED
EVERYWHERE**



MCINTOSH

BEATER WAGON

12 - 27M³

The McIntosh Beater Wagon delivers a more consistent and even feed mix due to its unique three horizontal PTO-driven beaters.

Heavy-duty augers with Bisalloy steel tips break up and blend a wide range of feeds, including bales, maize, silage, and vegetable waste, without extra mixing time. Feed is distributed evenly onto the conveyor for minimal waste and a clean, long throw into troughs or over fences.

Available in 12–27 m³ capacities, it's ideal for both feed pads and paddocks. Built tough with a fully welded body, 5 mm steel floor, 3 mm pressed sides, and 75 x 40 channel slats, the Beater Wagon is designed for durability. Its simple floor and beater system needs less horsepower and mixing time, reducing fuel use and labour. Farmers report better feed consistency and lower running costs. Even with citrus pulp, fodder beet, or compost. Backed by decades of proven performance, it's the smart investment for lasting value and reliable results.

STANDARD FEATURES



Auto floor chain tensioner with grease gun and holder (optional)



3 horizontal augers



Bisalloy steel auger blades



Cross conveyor belt with tacking strip

OPTIONAL EXTRAS

- 4 floor chains
- Brakes on 2 or 4 wheels
- Tyre options
- Swivel drawbar tongue
- Walkway 250 mm wide
- Skid 300 mm long
- Load cells
- Bluetooth
- Rear flashing light
- Auto floor chain tensioner with grease gun and holder

Cross Conveyor options:

- Roller chain 1200 mm wide
- Hydraulic conveyor extension 200 mm
- Pivoting cross conveyor



SPECIFICATIONS

Model	Cubic Capacity (m ³)	Cubic Tonne (m ³)	Overall Width (mm)	Overall Length (mm)	Loading Height Bin (mm)	Tare Weight (kg)	Tyre Size	Cross Conveyor Height (mm)	Floor Chains
900	14.3	9	2450	8150	2600	4630	15/70-18	730	3
1000	16	10.5	2450	9000	2600	6130	385/65R22.5	730	3
1200	17.6	12	2450	9600	2600	6360	385/65R22.5	730	3
1400	20.2	13.6	2750	9600	2600	6790	385/65R22.5	730	3
1500	21.5	14.6	2450	9600	2900	6900	385/65R22.5	730	3
1700	24.8	17.5	2940	9600	2950	7730	500/60R22.5	740	4
1900	27.2	19	2940	10250	2950	8130	500/60R22.5	740	4

NB: All weights and measurements are approximate and dependent on specifications and may change without notice.



Mixed feed - maize, potatoes and hay



Fodder beet



Vegetable waste



Silage

WHY MCINTOSH?

At McIntosh Farm Machinery, we take pride in delivering robust, high-quality equipment designed to withstand the toughest farming conditions for New Zealand and Australian farmers.



75+ Years of Expertise

A family owned and operated business with decades of experience in designing and manufacturing innovative farming solutions.

Tailored Solutions

Customisable machinery designed to meet your farm's specific needs, maximising efficiency and performance.

Unmatched Durability

Built with premium materials and precision engineering to ensure long-lasting performance in New Zealand's harsh conditions.

Reliable Support

Backed by dedicated after-sales service and expert advice to keep your equipment running smoothly.

More from McIntosh



COMBI PRO



BALE FEEDERS



SILAGE WAGON



TIP TRAILER



VIEW OUR BEATER
WAGON VIDEO!

MCINTOSH BROTHERS ENGINEERING LTD

Address: 85 Armstrong Street - PO Box 4240, Palmerston North, New Zealand

Freephone: 0800 622 276 | **Phone:** +64 6 356 7056 | **Email:** sales@mcintosh.net.nz

www.mcintosh.net.nz



We stand behind every machine we build. All McIntosh products are backed by a 2-year manufacturer's warranty against defects in materials or workmanship, provided the machine has been serviced and has not been subject to misuse or operated outside its intended specifications. These terms are subject to change without notice. Full warranty terms are available by scanning the QR code.



mcintoshfarmmachinery.co.nz